

### 3.1 Low Density Residential 2 (LDR2)

- 3.5.010. Purposes and Objectives
- 3.5.020. Permitted Uses
- 3.5.030. Lot Area
- 3.5.040. Lot Width
- 3.5.045. Lot Depth
- 3.5.050. Lot Frontage
- 3.5.060. Prior Created Lots
- 3.5.070. Lot Configuration Density
- 3.5.080. Yard Requirements
- 3.5.090. Setbacks and Rights-of-Way Exceptions
- 3.5.100. Building Height
- 3.5.110. Distance Between Buildings
- 3.5.120. Permissible Lot Coverage
- 3.5.130. Parking, Loading and Access
- 3.5.140. Project Plan Approval
- 3.5.150. Fencing and Screening
- 3.5.160. Other Requirements

#### 3.5.010. Purpose and Objectives

The LDR2 zone is established to protect stable neighborhoods of detached single-family dwellings on smaller lots. The conditional uses allowed in this district shall be compatible with single-family homes on landscaped lawns, low building heights, predominantly off-street parking, low traffic volumes, and low nuisance potential. Two-family dwelling units are conditional uses within this zone, not to exceed more than one structure per lot (except detached garages and other outbuildings).

#### 3.5.020. Permitted Uses

**a. Categories.** Those uses or categories of uses as listed herein, and no others, are permitted in the LDR2 zone.

**b. Permitted Principal Uses.** The following principal uses and structures, and no others, shall be permitted in the LDR2 zone:

##### Permitted Uses

Single-family dwelling- detached  
Disabled Persons Residential facility  
Manufactured housing units 24 feet or wider on a permanent foundation

For Twin Homes and Duplexes, a review is required for Neighborhood Compatibility for Parking, Screening, Lighting and Landscaping to be approved by staff.

- c. Permitted Accessory Uses.** Accessory uses and structures are permitted in the LDR2 zone provided they are incidental to, and do not substantially alter the character of, the permitted principal use or structure. Such permitted accessory uses and structures include, but are not limited to, the following:
- i. Accessory buildings such as garages, carports, greenhouses, gardening sheds, recreation rooms, and similar structures which are customarily used in conjunction with, and incidental to, a principal use or structure.
  - ii. Swimming pools.
  - iii. Vegetable and flower gardens and noncommercial orchards.
  - iv. Home Occupations subject to the regulations of Section 4.10.A.
  - v. Storage of materials used for construction of a building, including the contractor's temporary office, provided that such use is on the building site or immediately adjacent thereto, and provided, further, that

such use shall be permitted only during the construction period and thirty (30) days thereafter.

### **3.5.25. Conditional Uses**

The following uses and structures may be permitted in the LDR2 zone only after a Conditional Use Permit has been approved, and subject to the terms and conditions thereof.

#### **Conditional Uses**

Twin Homes and Duplexes  
Assisted and Residential Care Facility  
Residential Facility for Elderly Persons  
Communications in accordance other applicable communications ordinances  
Electricity Regulating Substations  
Other Utility and Public Facilities  
Cemeteries  
Hospitals  
Nursery Schools  
Schools  
Churches, Synagogues, Temples  
Libraries  
Golf Course  
Golf Course w/ Country Club  
Tennis Courts  
Ice Skating  
Athletic Fields  
Recreation Centers  
Pools  
Parks and Playgrounds Skate Parks  
Home Business regulated as per Section 4.10.B

### **3.5.030. Lot Area**

The minimum area of any lot or parcel of land in the LDR2 zone is eight thousand (8,000) sq. ft. A duplex requires a minimum 10,000 sq. ft. lot after it has been approved with a Conditional Use Permit (CUP). A twin home requires two 5,000 sq. ft. lots after it has been approved with a CUP.

### **3.5.040. Lot Width**

The minimum lot width in the LDR2 zone is fifty (50) feet. A twin home minimum lot width is sixty (60) feet (combined for both lots).

### **3.5.045. Lot Depth**

The minimum lot depth in the LDR2 zone is sixty (60) feet.

### **3.5.050. Lot Frontage**

Each lot or parcel of land in the LDR2 zone shall abut a public street for a minimum distance of twenty (20) feet, on a line parallel to the center line of the street or along the circumference of a cul-de-sac improved to City standards. Frontage on a street end which does not have a cul-de-sac improved to City standards shall not be counted in meeting this requirement. Private Drives are allowed as per review by the Community Development Director or Designee.

### **3.5.060. Prior Created Lots**

Lots or parcels of land which were legally and lawfully created prior to the application of the zone shall not be denied a building permit solely for reason of nonconformance with the parcel requirements of this Chapter.

### **3.5.070. Lot Configuration and Density**

One (1) single-family dwelling may be placed on a lot or parcel of land in the LDR2 zone as a matter of right. A duplex or twin home may be permitted in the LDR2 zones with a conditional use permit.

### **3.5.080. Yard Requirements**

The following minimum yard requirements shall apply in the LDR2 zone:

- a. **Front/Rear Yard.** Each lot or parcel in the LDR2 zone shall have a minimum front yard of at least twenty-five (25) feet, unless the street upon which the parcel fronts has a boulevard strip of at least seven (7) feet, in which case the front yard setback may be reduced to twenty (20) feet. The minimum depth of a rear yard shall be twenty (20) feet.
- b. **Side Yard.** Each lot or parcel of land in the LDR2 zone shall have a side yard of at least five (5) feet
- c. **Accessory Building Setbacks.** Accessory buildings must meet all setback requirements established by any applicable building code, and shall:
  - i. Have a building footprint and height less than the main dwelling. Accessory buildings larger than two hundred (200) square feet shall meet the same side yard requirements as principal buildings.
  - ii. Comply with all lot coverage requirements. An accessory building or group of accessory buildings in any residential zone shall not cover more than thirty (30) percent of the rear yard.
  - iii. Comply with the current Building Code of the City of Rexburg, ID.
  - iv. Only be used for those accessory uses allowed in the respective zone.
  - v. Accessory building shall not be placed in the front yard.
  - vi. Accessory buildings may be placed in any location in the rear yard not otherwise in conflict with this Ordinance, unless the accessory building is a garage with doors opening into the alley. Such garages shall be located at least fifteen (15) feet from the alley.

### **3.5.090. Setbacks and Rights-of-Way Exceptions**

- a. **Exceptions.** The following structures may be erected on or projected into any required setback or right-of-way:
  - i. Fences and walls in conformance with the Rexburg City Code and other City codes or ordinances.
  - ii. Landscape elements including trees, shrubs, agricultural crops and other plants.
  - iii. Necessary appurtenances for utility service.
  - iv. In all zones the area between the curb and gutter and the sidewalk is to be landscaped and maintained by the adjacent property owner. For the purpose of insuring visibility and safety in residential zones and other zones which require buildings to be set back from the property line, the triangle of land formed on any corner lot by drawing a line between points on the lot lines, which are thirty (30) feet from the intersection of such lot lines, shall be free from any sight obscuring structure or obstruction except as permitted. Trees in such triangles shall be trimmed to at least ten (10) feet above the centerline grades of the intersecting streets. Shrubs, fences, and walls shall not be higher than three (3) feet above the centerline grades of the intersecting streets.
- b. **Permitted Projections with Conditions.** The structures listed below may project into a minimum front yard or rear yard no more than four (4) feet and into a minimum side yard not more than two (2) feet, except that a required driveway shall remain unobstructed from the ground up a height of twelve (12) feet:
  - i. Cornices, eaves, belt courses, sills, buttresses, **foundation extension under 3' in height** or other similar architectural features.
  - ii. Fireplace structures and bays **and other similar structures** provided they are not wider than eight (8) feet and are generally parallel to the wall of which they are a part.

- iii. Stairways, balconies, door stoops, fire escapes, awnings, and planter boxes not exceeding thirty (30) inches in height.
  - iv. Carports and loading docks in a side yard or rear yard, provided that such a structure is not more than one (1) story in height and is entirely open on at least three (3) sides, except for necessary supporting columns and customary architectural features.
- c. Box or Bay Windows.** Box or Bay Windows provided they are not wider than eight (8) feet may be projected up to one (1') foot in a front yard and up to two (2') feet in a rear yard. No projection is allowed in a required side yard.
- d. Additional Exception.** When fifty (50) percent or more of the lots on the same side of the street have been built, all buildings erected, established, or rebuilt shall be in conformity with the average setback of such buildings. In all Residential Zones, all buildings erected, established, or rebuilt shall be required to place sidewalks a minimum of seven (7) feet behind the curb and gutter, where conditions permit.

### 3.5.100. Building Height

No lot or parcel of land in the LDR2 zone shall have a building or structure which exceeds a maximum height of thirty (30) feet, measured at the top of building's horizontal wall. In no case shall the height of an accessory structure exceed the height of any main structure on the same lot.

### 3.5.110. Distance Between Buildings

The distance between any accessory building and a dwelling shall not be less than six (6) feet.

### 3.5.120. Permissible Lot Coverage

- a. Building Coverage.** In an LDR2 zone, all buildings, including accessory buildings and structures (including impervious surfaces, e.g. driveways), shall not cover more than seventy (70) percent of the area of the lot or parcel of land.
- b. Landscaping.** At least thirty (30) percent of the area of any lot shall be maintained in landscaping. On any lot, concrete or asphaltic cement shall not cover more than forty (40) percent of a front yard, fifty (50) percent of a rear yard, and one hundred (100) percent of one (1) side yard.

### 3.5.130. Parking, Loading and Access

- a. Purpose of Parking Regulations.** To protect and enhance property value, to retain the open character of a residential zone, and to protect health and safety by regulating the parking of vehicles within residential neighborhoods of the City, the following standards shall apply in all LDR2 zones:
  - i. No person shall park or allow the parking of any recreational vehicle in the clear sight triangles required by Section 3.5.090 of this Ordinance. In a residential zone, no person shall park or allow the parking of any recreational vehicle in any front yard which faces a public street for more than four (4) consecutive days and a cumulative of thirty (30) days in a calendar year.
  - ii. No person shall park or allow the parking of any automobile, van, pickup truck, trailer, motorcycle or other motor vehicle in any front yard located in a residential zone except in a designated driveway.
  - iii. The storage of commercial vehicles with a gross weight exceeding eight thousand (8,000) pounds, and construction equipment including but not limited to bulldozers, graders, and cement mixers, shall not be permitted upon private property in any residential zone except for a period not to exceed one (1) year in which a building is being constructed thereon. Unoccupied mobile homes and manufactured homes shall not be stored upon private property in any residential zones.
  - iv. No person shall park any commercial vehicle having a gross weight exceeding eight thousand (8,000) pounds, whether attended or unattended, upon the streets in any residential district within the City for a

period in excess of two (2) hours except for the purpose of loading and unloading passengers, materials or merchandise; for any purpose incident to any lawful construction project located within the immediate vicinity of such parked vehicles; or for any purpose incident to a lawful commercial operation located in any residential district within the immediate vicinity of such parked vehicles.

- v. No person shall park any inoperable vehicle, boat or trailer upon any street for a period of time longer than four (4) consecutive days. Any such inoperable vehicle, boat or trailer moved from a parking spot and re-parked on the same street block-face within twenty-four (24) hours from the time of said removal shall be deemed to have been continuously parked for the purposes of this section.

#### **3.5.140. Project Plan Approval**

All projects constructed within the LDR2 zone must submit, prior to beginning construction, a site plan (including a drainage plan) for review and approval by City of Rexburg Building Department. Drainage on to an adjacent lot not owned by applicant is not allowed. All structures must comply with the current Building Code of the City of Rexburg, ID.

#### **3.5.150. Fencing and Screening**

Screening and fencing within the City of Rexburg shall be constructed and maintained in conformance with the following standards:

- a. **Highway 20 Corridor.** All development adjacent to the Highway 20 right-of-way must submit a site plan to the Planning and Zoning Commission and be approved by the Commission prior to obtaining a Building Permit.
- b. **Parking Areas.** An effective buffer shall be provided between parking areas for more than five (5) vehicles and existing residential uses, schools, hospitals, nursing homes and other institutions for long-term human care. The buffer shall consist of a minimum five (5) foot wide landscaped strip to be planted with one (1) tree of 2" caliper and five (5) low shrubs per thirty (30) lineal foot
- c. **Fences.** The maximum height of any fence, wall, or sight obscuring objects within fifteen (15) feet of the public right-of-way shall be three (3) feet. Fences will be allowed in excess of three (3) feet and up to six (6) feet if constructed out of rigid materials and are fifty (50) percent or more see through per lineal foot. All other fences shall not be greater in height than eight (8) feet unless approved by the Planning and Zoning Commission.

#### **3.5.160. Other Requirements**

- a. **Signs.** Unless otherwise prohibited by law, signs of the type and description listed below, but no others, may be placed and maintained in the LDR2 zone.
  - i. Signs or name plates not exceeding two (2) square feet in area and displaying only the name and address of the occupant.
  - ii. Two (2) temporary signs with a maximum area of six (6) square feet each, pertaining to the sale, lease, or rent of the particular building, property, or premises upon which displayed, and no other.
  - iii. Signs or monuments identifying points of interest or sites of historic significance. The site, size, and design of said signs or monuments shall be specifically approved by the City Planning and Zoning Commission.
  - iv. The assigned address of any City residence must be posted on the structure within 10 feet of the entrance door facing street side. Said numbers must be readable from the street as determined by City Emergency Services.